

	revisions									
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED					
1		released for production.	7/29/2016	DPD	JAG					






NOTES: 1. REF. AIRBUS T/N: M653V3005127. 2. PART OF KIT RBEM653V3005101.


FLANGE EXTRACTOR


ASSY QTY	ASSY QTY	В/О	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.		WG NO.	RBEM653V3005127 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					
			-1	1	EAR PLATE	1018/1020 CR		2	HE	MAT'L HEAT TREAT FINISH		DIME	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8			
			-3	1	SMALL COVER PLATE	1018/1020 CR		3	FIN	NISH			.XX ± .01	ANGLES ±.5° SURFACES = 125/		
			-5	1	CAPTIVE SCREW	4140/4142		4		PEC	DUERFELDT			1. BREAK ALL SHARP EDGES .015 x 45° OR .015R - 2. DIMENSIONAL LIMITS APPLY		
			-7	1	SPECIAL NUT	4140/4142		5	_	RAWN BY:			2. DIMENSION			
		B/O	-9	3	WASHER	WHITE NYLON	M8 (MCMASTER-CARR #95610A580)	6		HECKED:	CLOUGH			I DIM AND TOL PER		
		B/O	-11	3	FLAT SOCKET HEAD CAP SCREW	STEEL	M5 X 0.8mm X 16mm (MCMASTER-CARR #91263A834)	1	_	A APPR:	LINDSA			USED ON MODEL		
		B/O	-13	3	SOCKET HEAD CAP SCREW	STEEL	M8 X 1.25mm X 30mm (MCMASTER-CARR #90128A276)	1	AP	PPROVED:	GILBER	T	H175			
		B/O	-15	3	HEX NUT	STEEL	M8 X 1.25mm (MCMASTER-CARR #90591A161)	1	S	CALE	1:4	DATE	5/12/2016	SHEET 1 OF 5		



.05 X 45°-

REVISIONS							
REV ECR	DESCRIPTION	DATE	INITIAL	APPROVED			





NOTES:

1. DUAL FINISH:

1ST: ZINC PLATE, ASTM B633 TYPE I SC2. 2ND: POWDER COAT YELLOW, FED #13538.

NO POWDER COAT THIS SURFACE.

TITLE

.32

FLANGE EXTRACTOR

REV

RBEM653V3005127-3


MAIL 1018/1	020 CR			DIMENSIONS ARE IN INCHES				
EAT REAT				.XXX ± .005	FRACTIONS ± 1/8			
REAT INISH SEE N	OTE 1			.XX ± .01	ANGLES ±.5° SURFACES = 125/			
PEC				1. BREAK ALI	SHARP EDGES			
RAWN BY:	DUERFE	LDT		.015 x 45° C				
HECKED: CLOUGH				2. DIMENSIONAL LIMITS APPLY AFTER PLATING				
PPS APPR:	ANDERSON			3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009				
A APPR:	LINDSAY	′			USED ON MODEL			
PPROVED:	GILBERT				H175			
SCALE	1:1	DATE	5/1	12/2016	SHEET 3 OF 5			





SMALL COVER PLATE


 REVISIONS

 REV
 ECR
 DESCRIPTION
 DATE
 INITIAL
 APPROVED














		REVISIONS			
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED



REV









DART

FLANGE EXTRACTOR

DWG NO. RBEM653V3005127-7

	KRE	M65	3 V	30051	1		
MAT'L 4140/4 HEAT TREAT FINISH ZINC F			UNLES: DIME .XXX ± .005 .XX + .01 .X ± .1	s			
	B633 TYPE	SC 2	1. BREAK ALL SHARP EDGES				
DRAWN BY:	DUERFELDT				OR .015R NAL LIMITS APPLY		
CHECKED:	CLOUGH			AFTER PLA			
OPPS APPR:	ANDERS	SON		3. INTERPRE ASME Y14.	T DIM AND TOL PER 5M-2009		
QA APPR:	LINDSAY			USED ON MODEL			
APPROVED:	GILBERT			H175			
SCALE	1:1	DATE	5/1	2/2016	SHEET 5 OF	5	